

**VOLUME 16, 1979**

**Author Index / Index des auteurs**

Under each name are listed, in chronological order of publication, all articles in which an author has participated/  
Chaque notice indique, dans l'ordre chronologique de publication, tous les articles auxquels l'auteur a participé

- |  |  |     |     |
|--|--|-----|-----|
| <b>Addo-Abedi, F.Y.</b><br>Repeated compressive loading of Leda clay<br>G.P. RAYMOND, P.N. GASKIN, and F.Y. ADDO-ABEDI                                   | <b>Bourges, F.</b><br>Lateral displacements in clay foundations under embankments<br>F. TAVENAS, C. MIEUSSENS, and F. BOURGES                    | 1   | 532 |
| <b>Addo-Abedi, F.Y.</b><br>Repeated compressive loading of a sand<br>P.N. GASKIN, G.P. RAYMOND, F.Y. ADDO-ABEDI, and<br>J.S. LAU                         | <b>Bozozuk, M.</b><br>The bellow-hose settlement gauge<br>M. BOZOZUK and B.H. FELLENIUS  | 798 | 233 |
| <b>Allam, M.M.</b><br>The influence of aging on the shear strength behaviour of two<br>fine-grained soils<br>M.M. ALLAM and A. SRIDHARAN                 | <b>Bozozuk, M.</b><br>A method of estimating excess pore pressures beneath embank-<br>ments on sensitive clays<br>K.T. LAW and M. BOZOZUK        | 391 | 691 |
| <b>Altschaeffl, A.G.</b><br>Frost-heaving rate predicted from pore-size distribution<br>M.A. REED, C.W. LOVELL, A.G. ALTSCHAEFFL, and<br>L.E. WOOD       | <b>Burrous, C.</b><br>Uplift of objects by an unfreezing ice surface<br>J.R. MACKAY and C. BURROUS   | 463 | 609 |
| <b>Arès, R.</b><br>Traitement de la fondation de moraine du barrage LG-3<br>J.J. PARÉ, R. ARÈS et A.M. GHZALA  | <b>Byrne, P.M.</b><br>Developments in soil mechanics—1: Book Review<br>P.M. BYRNE  | 272 | 622 |
| <b>Bauer, G.E.</b><br>Normal and shear stress measurements on a strip footing<br>G.E. BAUER, D.H. SHIELDS, J.D. SCOTT, and<br>S.O. NWABUOKEI             | <b>Campanella, R.G.</b><br>Strain rate behaviour of Saint-Jean-Vianney clay<br>Y.P. VAID, P.K. ROBERTSON, and R.G. CAMPANELLA                    | 177 | 34  |
| <b>Bawden, W.F.</b><br>Geotechnical study of an abandoned limestone mine for crude oil<br>storage<br>W.F. BAWDEN and D.R. MCCREATH                       | <b>Capelle, J.F.</b><br>The pressuremeter and foundation engineering: Book Review<br>J.F. CAPELLE  | 577 | 621 |
| <b>Becker, D.E.</b><br>Pore-pressure response beneath a ring foundation on clay<br>K.Y. LO and D.E. BECKER   | <b>Carson, M.A.</b><br>On the retrogression of landslides in sensitive muddy sediments:<br>Reply<br>M.A. CARSON                                  | 551 | 431 |
| <b>Bentley, S.P.</b><br>Viscometric assessment of remoulded sensitive clays<br>S.P. BENTLEY  | <b>Chan, S.F.</b><br>The loading behaviour of initially bent large scale laboratory piles<br>in sand<br>S.F. CHAN and T.H. HANNA                 | 414 | 43  |
| <b>Blanchet, R.</b><br>The stability of stage-constructed embankments on soft clays:<br>Reply<br>F. TAVENAS, R. BLANCHET, R. GARNEAU, and<br>S. LEROUÉIL | <b>Chari, T.R.</b><br>Geotechnical aspects of iceberg scours on ocean floors<br>T.R. CHARI   | 430 | 379 |
|  | <b>Chatterji, P.K.</b><br>Construction of Saline Creek Tunnel in Athabasca Oil Sand<br>P.K. CHATTERJI, L.B. SMITH, A.E. INSLEY, and<br>L. SHARMA |     | 90  |

<b>Choi, Y.K.</b> Strain rate behaviour of Saint-Jean-Vianney clay: Discussion G. MESRI and Y.K. CHOI	831	<b>Fredlund, D.G.</b> One-dimensional consolidation theory: unsaturated soils D.G. FREDLUND and J.U. HASAN	521
<b>Clifton, A.W.</b> A highway cut failure in Cretaceous sediments at Maymont, Saskatchewan J. KRAHN, R.F. JOHNSON, D.G. FREDLUND, and A.W. CLIFTON	703	<b>Fredlund, D.G.</b> Emploi d'une méthode psychrométrique dans des essais triaxiaux sur un limon remanié non saturé: Discussion J. MORRISON and D.G. FREDLUND	614
<b>Crawford, A.M.</b> Measurements on a tunnel lining in very dense till F.A. DELORY, A.M. CRAWFORD, and M.E.M. GIBSON	190	<b>Fredlund, D.G.</b> A highway cut failure in Cretaceous sediments at Maymont, Saskatchewan J. KRAHN, R.F. JOHNSON, D.G. FREDLUND, and A.W. CLIFTON	703
<b>Dascal, O.</b> Structural behaviour of Manicouagan 3 cutoff O. DASCAL	200	<b>Fritz, P.</b> Principles of isotope geology: Book Review P. FRITZ	252
<b>Dascal, O.</b> Hydraulic efficiency of the Manicouagan-3 cutoff O. DASCAL	351	<b>Garneau, R.</b> The stability of stage-constructed embankments on soft clays: Reply F. TAVENAS, R. BLANCHET, R. GARNEAU, and S. LEROUÉIL	430
<b>DeLory, F.A.</b> Measurements on a tunnel lining in very dense till F.A. DELORY, A.M. CRAWFORD, and M.E.M. GIBSON	190	<b>Gaskin, P.N.</b> Repeated compressive loading of Leda clay G.P. RAYMOND, P.N. GASKIN, and F.Y. ADDO-ABEDI	1
<b>Dion, D.-J.</b> Utilisation du pénétromètre statique dans les Basses Terres du Saint-Laurent R. MARANDA et D.-J. DION	591	<b>Gaskin, P.N.</b> Repeated compressive loading of a sand P.N. GASKIN, G.P. RAYMOND, F.Y. ADDO-ABEDI, and J.S. LAU	798
<b>Dusseault, M.B.</b> Mineralogical and engineering index properties of the basal McMurray Formation clay shales M.B. DUSSEAULT and D. SCAFE	285	<b>Ghazala, A.M.</b> Traitement de la fondation de moraine du barrage LG-3 J.J. PARÉ, R. ARÈS et A.M. GHZALA	272
<b>Dusseault, M.B.</b> Undrained volume and stress change behavior of unsaturated very dense sands M.B. DUSSEAULT	627	<b>Gibson, M.E.M.</b> Measurements on a tunnel lining in very dense till F.A. DELORY, A.M. CRAWFORD, and M.E.M. GIBSON	190
<b>Eisbacher, G.H.</b> Cliff collapse and rock avalanches (sturzstroms) in the Mackenzie Mountains, northwestern Canada G.H. EISBACHER	309	<b>Gifford, P.M.</b> The use of sulphur in roadway frost applications P.M. GIFFORD and J.E. GILLOTT	78
<b>El Komos, F.</b> Hydroturf R. MITCHELL and F. EL KOMOS	236	<b>Gillott, J.E.</b> The use of sulphur in roadway frost applications P.M. GIFFORD and J.E. GILLOTT	78
<b>Fellenius, B.H.</b> The bellow-hose settlement gauge M. BOZOUK and B.H. FELLENIUS	233	<b>Goodrich, L.E.</b> Thermal geotechnics: Book Review L.E. GOODRICH	447
<b>Frederking, R.M.W.</b> Rupture of an ice mound near Cape Dorset, N.W.T. R.M.W. FREDERKING	604	<b>Graham, J.</b> Embankment stability on anisotropic soft clays J. GRAHAM	295
<b>Fredlund, D.G.</b> Second Canadian Geotechnical Colloquium: appropriate con- cepts and technology for unsaturated soil D.G. FREDLUND	121	<b>Hammett, R.D.</b> Handbook on mechanical properties of rocks—Volume II: Book Review R.D. HAMMETT	623
<b>Fredlund, D.G.</b> Stability of swelling clay embankments R.A. WIDGER and D.G. FREDLUND	140	<b>Handy, R.L.</b> Laboratory simulation of shale expansion by induced gypsum growth A.J. LUTENEGGER, N.C. WOLLENHAUPT, and R.L. HANDY	405

- Hanna, A.J.**  
The undrained strength of some thawed permafrost soils  
J.F. NIXON and A.J. HANNA 420
- Hanna, A.M.**  
Ultimate bearing capacity of foundations on a three-layer soil, with special reference to layered sand  
A.M. HANNA and G.G. MEYERHOF 412
- Hanna, T.H.**  
The loading behaviour of initially bent large scale laboratory piles in sand  
S.F. CHAN and T.H. HANNA 43
- Hasan, J.U.**  
One-dimensional consolidation theory: unsaturated soils  
D.G. FREDLUND and J.U. HASAN 521
- Hoag, D.L.**  
A noncontacting transducer for measurement of lateral strains  
M.H. KAHN and D.L. HOAG 409
- Holden, J.T.**  
A model for coupled heat and moisture transfer during soil freezing: Discussion  
J.T. HOLDEN 830
- Hori, M.**  
Deformation and strength properties of some rocks in southern Ontario  
K.Y. LO and M. HORI 108
- Insley, A.E.**  
Construction of Saline Creek Tunnel in Athabasca Oil Sand  
P.K. CHATTERJI, L.B. SMITH, A.E. INSLEY, and L. SHARMA 90
- Jackson, L.E., Jr.**  
A catastrophic glacial outburst flood (jökulhlaup) mechanism for debris flow generation at the Spiral Tunnels, Kicking Horse River basin, British Columbia  
L.E. JACKSON, JR. 806
- Janzen, P.**  
Manasan Falls control structure design and construction aspects  
P. JANZEN and A.G. KULUK 497
- Jaspar, J.L.**  
Foundation performance of Gardiner Dam  
J.L. JASPAR and N. PETERS 758
- Johnson, R.F.**  
A highway cut failure in Cretaceous sediments at Maymont, Saskatchewan  
J. KRAHN, R.F. JOHNSON, D.G. FREDLUND, and A.W. CLIFTON 703
- Kahn, M.H.**  
A noncontacting transducer for measurement of lateral strains  
M.H. KAHN and D.L. HOAG 409
- Kälin, M.**  
Symbols in geotechnology—on the purpose of scientific notation  
M. KÄLIN 451
- Kenney, T.C.**  
The mechanics of soils: an introduction to critical state soil mechanics: Book Review  
T.C. KENNEY 836
- Krahn, J.**  
A highway cut failure in Cretaceous sediments at Maymont, Saskatchewan  
J. KRAHN, R.F. JOHNSON, D.G. FREDLUND, and A.W. CLIFTON 703
- Kuluk, A.G.**  
Manasan Falls control structure design and construction aspects  
P. JANZEN and A.G. KULUK 497
- Lahti, L.R.**  
Groundwater control to the rescue: two case histories  
J.L. SEYCHUK and L.R. LAHTI 716
- Lamb, K.N.**  
Experiences with alluvial foundations for earth dams in the Prairie provinces  
N. PETERS and K.N. LAMB 255
- Larkin, T.J.**  
Comparison of down-hole and laboratory shear wave velocities  
T.J. LARKIN and P.W. TAYLOR 152
- LaRochelle, P.**  
Significance of amorphous material relative to sensitivity in some Champlain clays  
R.N. YONG, A.J. SETHI, and P. LAROCHELLE 511
- Lau, J.S.**  
Repeated compressive loading of a sand  
P.N. GASKIN, G.P. RAYMOND, F.Y. ADDO-ABEDI, and J.S. LAU 798
- Law, K.T.**  
Triaxial-vane tests on a soft marine clay  
K.T. LAW 11
- Law, K.T.**  
A method of estimating excess pore pressures beneath embankments on sensitive clays  
K.T. LAW and M. BOZOUK 691
- Law, K.T.**  
Triaxial-vane tests on a soft marine clay: Reply  
K.T. LAW 829
- Lee, K.L.**  
Cyclic strength of a sensitive clay of eastern Canada  
K.L. LEE 163
- Lefebvre, G.**  
A new method of sampling in sensitive clay  
G. LEFEBVRE and C. POULIN 226
- Legget, R.F.**  
Logan and landslides: 1842  
R.F. LEGGET 397
- Leroueil, S.**  
The stability of stage-constructed embankments on soft clays: Reply  
F. TAVENAS, R. BLANCHET, R. GARNEAU, and S. LEROUIL 430

- Leroueil, S.**  
Strain rate behaviour of Saint-Jean-Vianney clay: Discussion  
S. LEROUÉIL and F. TAVENAS 616
- Lo, K.Y.**  
Deformation and strength properties of some rocks in southern Ontario  
K.Y. LO and M. HORI 108
- Lo, K.Y.**  
Erratum: Time-dependent deformation of shaly rocks in southern Ontario  
K.Y. LO, R.S.C. WAI, J.H.L. PALMER, and R.M. QUIGLEY 449
- Lo, K.Y.**  
Pore-pressure response beneath a ring foundation on clay  
K.Y. LO and D.E. BECKER 551
- Lovell, C.W.**  
Frost-heaving rate predicted from pore-size distribution  
M.A. REED, C.W. LOVELL, A.G. ALTSCHAEFFL, and L.E. WOOD 463
- Lutenegger, A.J.**  
Laboratory simulation of shale expansion by induced gypsum growth  
A.J. LUTENEGGER, N.C. WOLLENHAUPT, and R.L. HANDY 405
- Mackay, J.R.**  
Uplift of objects by an upfreezing ice surface  
J.R. MACKAY and C. BURROUS 609
- Maranda, R.**  
Utilisation du pénétromètre statique dans les Basses Terres du Saint-Laurent  
R. MARANDA et D.-J. DION 591
- Matheson, D.S.**  
Use of glacial till and outwash silty sand as construction material for dam cores at Long Spruce Generating Station  
J.D. MCKEOWN and D.S. MATHESON 363
- McCreath, D.R.**  
Geotechnical study of an abandoned limestone mine for crude oil storage  
W.F. BAWDEN and D.R. MCCREATH 577
- McKeown, J.D.**  
Use of glacial till and outwash silty sand as construction material for dam cores at Long Spruce Generating Station  
J.D. MCKEOWN and D.S. MATHESON 363
- McKinnell, W.P., III**  
Strength of tree roots and landslides on Prince of Wales Island, Alaska  
T.H. WU, W.P. MCKINNELL III, and D.N. SWANSTON 19
- McLennan, J.D.**  
Rock movements induced by the construction of the Hamilton Mountain trunk sewer (stage 4)  
J.-C. ROEGERS, J.C. THOMPSON, and J.D. MCLENNAN 651
- Mesri, G.**  
Strain rate behaviour of Saint-Jean-Vianney clay: Discussion  
G. MESRI and Y.K. CHOI 831
- Meyerhof, G.G.**  
Ultimate bearing capacity of foundations on a three-layer soil, with special reference to layered sand  
A.M. HANNA and G.G. MEYERHOF 412
- Meyerhof, G.G.**  
Experimental study of punching coefficients and shape factor for two-layered soils  
A.J. VALSANGKAR and G.G. MEYERHOF 802
- Mieussens, C.**  
Lateral displacements in clay foundations under embankments  
F. TAVENAS, C. MIEUSSENS, and F. BOURGES 532
- Mitchell, R.**  
Hydroturf  
R. MITCHELL and F. EL KOMOS 236
- Mitchell, R.J.**  
Riverbank erosion and recession in the Ottawa area  
D.R. WILLIAMS, P.M. ROMERIL, and R.J. MITCHELL 641
- Morgenstern, N.R.**  
Stabilization of planar landslides in permafrost  
D.E. PUFAHL and N.R. MORGENSTERN 734
- Morrison, J.**  
Emploi d'une méthode psychrométrique dans des essais triaxiaux sur un limon remanié non saturé: Discussion  
J. MORRISON and D.G. FREDLUND 614
- Nasmith, H.W.**  
Design of dykes to protect against debris flows at Port Alice, British Columbia  
H.W. NASMITH and A.G. MERCER 748
- Nemat-Nasser, S.**  
A unified approach to densification and liquefaction of cohesionless sand in cyclic shearing  
S. NEMAT-NASSER and A. SHOKOOH 659
- Nixon, J.F.**  
Some aspects of road and airstrip pad design in permafrost areas  
J.F. NIXON 222
- Nixon, J.F.**  
The undrained strength of some thawed permafrost soils  
J.F. NIXON and A.J. HANNA 420
- Novak, M.**  
Structural and geotechnical mechanics: Book Review  
M. NOVAK 253
- Nwabuokei, S.O.**  
Normal and shear stress measurements on a strip footing  
G.E. BAUER, D.H. SHIELDS, J.D. SCOTT, and S.O. NWABUOKEI 177
- Palmer, J.H.L.**  
Erratum: Time-dependent deformation of shaly rocks in southern Ontario  
K.Y. LO, R.S.C. WAI, J.H.L. PALMER, and R.M. QUIGLEY 449

- Parameswaran, V.R.**  
Creep of model piles in frozen soil  
V.R. PARAMESWARAN 69
- Paré, J.J.**  
Traitement de la fondation de moraine du barrage LG-3  
J.J. PARÉ, R. ARÈS et A.M. GHZALA 272
- Peignaud, M.**  
Surpressions interstitielles développées par le fonçage dans les sols cohérents  
M. PEIGNAUD 814
- Pells, P.J.N.**  
Elastic solutions for the design and analysis of rock-socketed piles  
P.J.N. PELLs and R.M. TURNER 481
- Peters, N.**  
Experiences with alluvial foundations for earth dams in the Prairie provinces  
N. PETERS and K.N. LAMB 255
- Peters, N.**  
Upstream slope protection for earth dams in the Prairie Provinces  
N. PETERS and J.E. TOWLE 679
- Peters, N.**  
Foundation performance of Gardiner Dam  
J.L. JASPAR and N. PETERS 758
- Poulin, C.**  
A new method of sampling in sensitive clay  
G. LEFEBVRE and C. POULIN 226
- Pufahl, D.E.**  
Stabilization of planar landslides in permafrost  
D.E. PUFAHL and N.R. MORGENSTERN 734
- Quigley, R.M.**  
Geothermal energy utilization: Book Review  
R.M. QUIGLEY 254
- Quigley, R.M.**  
Erratum: Time-dependent deformation of shaly rocks in southern Ontario  
K.Y. LO, R.S.C. WAI, J.H.L. PALMER, and R.M. QUIGLEY 449
- Raymond, G.P.**  
Repeated compressive loading of Leda clay  
G.P. RAYMOND, P.N. GASKIN, and F.Y. ADDO-ABEDI 1
- Raymond, G.P.**  
Repeated compressive loading of a sand  
P.N. GASKIN, G.P. RAYMOND, F.Y. ADDO-ABEDI, and J.S. LAU 798
- Reed, M.A.**  
Frost-heaving rate predicted from pore-size distribution  
M.A. REED, C.W. LOVELL, A.G. ALTSCHAEFFL, and L.E. WOOD 463
- Robertson, P.K.**  
Strain rate behaviour of Saint-Jean-Vianney clay  
Y.P. VAID, P.K. ROBERTSON, and R.G. CAMPANELLA 34
- Roegiers, J.-C.**  
Rock movements induced by the construction of the Hamilton Mountain trunk sewer (stage 4)  
J.-C. ROEGIERs, J.C. THOMPSON, and J.D. MCLENNAN 651
- Romeril, P.M.**  
Riverbank erosion and recession in the Ottawa area  
D.R. WILLIAMS, P.M. ROMERIL, and R.J. MITCHELL 641
- Roy, M.**  
Soil disturbance from pile driving in sensitive clay: Discussion  
M. ROY 444
- Samson, L.**  
Terrassement dans les terrains équifères: Critique de livre  
L. SAMSON 251
- Sauer, E.K.**  
A slope failure in till at Lebret, Saskatchewan, Canada  
E.K. SAUER 242
- Scafe, D.**  
Mineralogical and engineering index properties of the basal McMurray Formation clay shales  
M.B. DUSSEAU and D. SCAFE 285
- Schmertmann, J.H.**  
The influence of aging on the shear strength behaviour of two fine-grained soils: Discussion  
J.H. SCHMERTMANN 835
- Scott, J.D.**  
Normal and shear stress measurements on a strip footing  
G.E. BAUER, D.H. SHIELDS, J.D. SCOTT, and S.O. NWABUOKEI 177
- Sethi, A.J.**  
Significance of amorphous material relative to sensitivity in some Champlain clays  
R.N. YONG, A.J. SETHI, and P. LAROCHELLE 511
- Seychuk, J.L.**  
Groundwater control to the rescue: two case histories  
J.L. SEYCHUK and L.R. LAHTI 716
- Sharma, L.**  
Construction of Saline Creek Tunnel in Athabasca Oil Sand  
P.K. CHATTERJI, L.B. SMITH, A.E. INSLEY, and L. SHARMA 90
- Shields, D.H.**  
Normal and shear stress measurements on a strip footing  
G.E. BAUER, D.H. SHIELDS, J.D. SCOTT, and S.O. NWABUOKEI 177
- Shokooh, A.**  
A unified approach to densification and liquefaction of cohesionless sand in cyclic shearing  
S. NEMAT-NASSER and A. SHOKOOH 659
- Silvestri, V.**  
Anisotropic behaviour of a sensitive clay  
R.N. YONG and V. SILVESTRI 335
- Silvestri, V.**  
Triaxial-vane tests on a soft marine clay: Discussion  
V. SILVESTRI 828

<b>Skopek, J.</b> Geotechnical problems encountered in moving the church at Most J. SKOPEK	473	<b>Townsend, D.L.</b> River erosion and bank stabilization—North Saskatchewan River, Edmonton, Alberta S. THOMSON and D.L. TOWNSEND	567
<b>Smith, L.B.</b> Construction of Saline Creek Tunnel in Athabasca Oil Sand P.K. CHATTERJI, L.B. SMITH, A.E. INSLEY, and L. SHARMA	90	<b>Trak, B.</b> The stability of stage-constructed embankments on soft clays: Discussion B. TRAK	428
<b>Sridharan, A.</b> The influence of aging on the shear strength behaviour of two fine-grained soils M.M. ALLAM and A. SRIDHARAN	391	<b>Turner, R.M.</b> Elastic solutions for the design and analysis of rock-socketed piles P.J.N. PELLIS and R.M. TURNER	481
<b>Swanston, D.N.</b> Strength of tree roots and landslides on Prince of Wales Island, Alaska T.H. WU, W.P. MCKINNELL III, and D.N. SWANSTON	19	<b>UNESCO</b> Addendum: Engineering geological maps: a guide to their preparation: Book Review UNESCO	254
<b>Tao, S.S.</b> Fluid settlement profiler: error analysis for installation at Black- strap, Saskatchewan S.S. TAO	401	<b>Vaid, Y.P.</b> Strain rate behaviour of Saint-Jean-Vianney clay Y.P. VAID, P.K. ROBERTSON, and R.G. CAMPANELLA	34
<b>Tavenas, F.</b> The stability of stage-constructed embankments on soft clays: Reply F. TAVENAS, R. BLANCHET, R. GARNEAU, and S. LEROUËIL	430	<b>Valsangkar, A.J.</b> Experimental study of punching coefficients and shape factor for two-layered soils A.J. VALSANGKAR and G.G. MEYERHOF	802
<b>Tavenas, F.</b> Lateral displacements in clay foundations under embankments F. TAVENAS, C. MIEUSSENS, and F. BOURGES	532	<b>Veillette, J.J.</b> Icings and seepage in frozen glaciofluvial deposits, District of Keewatin, N.W.T. J.J. VEILLETTE and R.D. THOMAS	789
<b>Tavenas, F.</b> Strain rate behaviour of Saint-Jean-Vianney clay: Discussion S. LEROUËIL and F. TAVENAS	616	<b>Verbrugge, J.C.</b> Emploi d'une méthode psychrométrique dans des essais triaxiaux sur un limon non saturé: Réponse J.C. VERBRUGGE	615
<b>Taylor, H.</b> Control of artesian pressure by bleeder wells N.H. WADE and H. TAYLOR	488	<b>Vogwill, R.I.J.</b> Hydrogeological testing associated with underground coal gasification R.I.J. VOGWILL	59
<b>Taylor, P.W.</b> Comparison of down-hole and laboratory shear wave velocities T.J. LARKIN and P.W. TAYLOR	152	<b>Wade, N.H.</b> Control of artesian pressure by bleeder wells N.H. WADE and H. TAYLOR	488
<b>Thomas, R.D.</b> Icings and seepage in frozen glaciofluvial deposits, District of Keewatin, N.W.T. J.J. VEILLETTE and R.D. THOMAS	789	<b>Wai, R.S.C.</b> Erratum: Time-dependent deformation of shaly rocks in southern Ontario K.Y. LO, R.S.C. WAI, J.H.L. PALMER, and R.M. QUIGLEY	449
<b>Thompson, J.C.</b> Rock movements induced by the construction of the Hamilton Mountain trunk sewer (stage 4) J.-C. ROEGERS, J.C. THOMPSON, and J.D. MCLENNAN	651	<b>Widger, R.A.</b> Stability of swelling clay embankments R.A. WIDGER and D.G. FREDLUND	140
<b>Thomson, S.</b> River erosion and bank stabilization—North Saskatchewan River, Edmonton, Alberta S. THOMSON and D.L. TOWNSEND	567	<b>Williams, D.R.</b> Riverbank erosion and recession in the Ottawa area D.R. WILLIAMS, P.M. ROMERIL, and R.J. MITCHELL	641
<b>Towle, J.E.</b> Upstream slope protection for earth dams in the Prairie Provinces N. PETERS and J.E. TOWLE	679	<b>Wollenhaupt, N.C.</b> Laboratory simulation of shale expansion by induced gypsum growth A.J. LUTENEGGER, N.C. WOLLENHAUPT, and R.L. HANDY	405



- Wong, J.Y.**  
Soil mechanics for off-road vehicle engineering; Book Review  
J.Y. WONG 624
- Wood, L.E.**  
Frost-heaving rate predicted from pore-size distribution  
M.A. REED, C.W. LOVELL, A.G. ALTSCHAEFFL, and  
L.E. WOOD 463
- Wu, T.H.**  
Strength of tree roots and landslides on Prince of Wales Island,  
Alaska  
T.H. WU, W.P. MCKINNELL III, and D.N. SWANSTON 19
- Yong, R.N.**  
Anisotropic behaviour of a sensitive clay  
R.N. YONG and V. SILVESTRI 335
- Yong, R.N.**  
Significance of amorphous material relative to sensitivity in some  
Champlain clays  
R.N. YONG, A.J. SETHI, and P. LA ROCHELLE 511





VOLUME 16, 1979

Subject Index / Index des matières<sup>1</sup>

A. General

02. *Historical Aspects*  
Logan and landslides: 1842. R.F. Legget, 397.
04. *Textbooks, Handbooks, and Geotechnical Periodicals*  
Terrassement dans les terrains équifères: Critique de livre. L. Samson, 251.  
Principles of isotope geology: Book Review. P. Fritz, 252.  
Structural and geotechnical mechanics: Book Review. M. Novak, 253.  
Geothermal energy utilization: Book Review. R.M. Quigley, 254.  
Addendum: Engineering geological maps: a guide to their preparation: Book Review. UNESCO, 254.  
Thermal geotechnics: Book Review. L.E. Goodrich, 447.  
The pressuremeter and foundation engineering: Book Review. J.F. Capelle, 621.  
Developments in soil mechanics—I: Book Review. P.M. Byrne, 622.  
Handbook on mechanical properties of rocks—Volume II: Book Review. R.D. Hammett, 623.  
Soil mechanics for off-road vehicle engineering: Book Review. J.Y. Wong, 624.  
The mechanics of soils: an introduction to critical state soil mechanics: Book Review. T.C. Kenney, 836.
05. *Nomenclature*  
Symbols in geotechnology—on the purpose of scientific notation. M. Kälin, 451.  
Frost-heaving rate predicted from pore-size distribution. M.A. Reed, C.W. Lovell, A.G. Altschaeffl, and L.E. Wood, 463.

B. Engineering Geology

00. *General*  
Deformation and strength properties of some rocks in southern Ontario. K.Y. Lo and M. Hori, 108.  
Cliff collapse and rock avalanches (sturzstroms) in the Mackenzie Mountains, northwestern Canada. G.H. Eisbacher, 309.  
Laboratory simulation of shale expansion by induced gypsum growth. A.J. Luteneegger, N.C. Wollenhaupt, and R.L. Handy, 405.  
Erratum: Time-dependent deformation of shaly rocks in southern Ontario. K.Y. Lo, R.S.C. Wai, J.H.L. Palmer, and R.M. Quigley, 449.  
Geotechnical study of an abandoned limestone mine for crude oil storage. W.F. Bawden and D.R. McCreath, 577.  
Rock movements induced by the construction of the Hamilton Mountain trunk sewer (stage 4). J.-C. Roegiers, J.C. Thompson, and J.D. McLennan, 651.
01. *Soil Formation*  
Repeated compressive loading of Leda clay. G.P. Raymond, P.N. Gaskin, and F.Y. Addo-Abedi, 1.  
Strength of tree roots and landslides on Prince of Wales Island, Alaska. T.H. Wu, W.P. McKinnell, III and D.N. Swanston, 19.  
Construction of Saline Creek Tunnel in Athabasca Oil Sand. P.K. Chatterji, L.B. Smith, A.E. Insley, and L. Sharma, 90.  
Measurements on a tunnel lining in very dense till. F.A. DeLory, A.M. Crawford, and M.E.M. Gibson, 190.  
Experiences with alluvial foundations for earth dams in the Prairie provinces. N. Peters and K.N. Lamb, 255.  
Traitement de la fondation de moraine du barrage LG-3. J.J. Parc, R. Arès et A.M. Ghzala, 272.  
Mineralogical and engineering index properties of the basal McMurray Formation clay shales. M.B. Dusseault and D. Scafe, 285.  
Anisotropic behaviour of a sensitive clay. R.N. Yong and V. Silvestri, 335.

<sup>1</sup>Based on the International Geotechnical Classification System (IGC) approved in 1969 by the International Society for Soil Mechanics and Foundation Engineering. Permission to use this classification system is gratefully acknowledged.

- Use of glacial till and outwash silty sand as construction material for dam cores at Long Spruce Generating Station. J.D. McKeown and D.S. Matheson, 363.
- The influence of aging on the shear strength behaviour of two fine-grained soils. M.M. Allam and A. Sridharan, 391.
- The stability of stage-constructed embankments on soft clays: Discussion. B. Trak, 428.
- The stability of stage-constructed embankments on soft clays: Reply. F. Tavenas, R. Blanchet, R. Garneau, and S. Leroueil, 430.
- On the retrogression of landslides in sensitive muddy sediments: Reply. M.A. Carson, 431.
- Soil disturbance from pile driving in sensitive clay: Discussion. M. Roy, 444.
- Significance of amorphous material relative to sensitivity in some Champlain clays. R.N. Yong, A.J. Sethi, and P. LaRochelle, 511.
- River erosion and bank stabilization—North Saskatchewan River, Edmonton, Alberta. S. Thomson and D.L. Townsend, 567.
- Utilisation du pénétromètre statique dans les Basses Terres du Saint-Laurent. R. Maranda et D.-J. Dion, 591.
- Strain rate behaviour of Saint-Jean-Vianney clay: Discussion. S. Leroueil and F. Tavenas, 616.
- Undrained volume and stress change behavior of unsaturated very dense sands. M.B. Dusseault, 627.
- Riverbank erosion and recession in the Ottawa area. D.R. Williams, P.M. Romeril, and R.J. Mitchell, 641.
- A method of estimating excess pore pressures beneath embankments on sensitive clays. K.T. Law and M. Bozozuk, 691.
- Triaxial-vane tests on a soft marine clay: Discussion. V. Silvestri, 828.
- Triaxial-vane tests on a soft marine clay: Reply. K.T. Law, 829.
- Strain rate behaviour of Saint-Jean-Vianney clay: Discussion. G. Mesri and Y.K. Choi, 831.
- The influence of aging on the shear strength behaviour of two fine-grained soils: Discussion. J.H. Schmertmann, 835.
02. *Ground Water*
- Hydrogeological testing associated with underground coal gasification. R.I.J. Vogwill, 59.
- Control of artesian pressure by bleeder wells. N.H. Wade and H. Taylor, 488.
- Groundwater control to the rescue: two case histories. J.L. Seychuk and L.R. Lahti, 716.
03. *Mass Movements and Subsidence*
- A slope failure in till at Lebreton, Saskatchewan, Canada. E.K. Sauer, 242.
- Cliff collapse and rock avalanches (sturzstroms) in the Mackenzie Mountains, northwestern Canada. G.H. Eisbacher, 309.
- Design of dykes to protect against debris flows at Port Alice, British Columbia. H.W. Nasmith and A.G. Mercer, 748.
- A catastrophic glacial outburst flood (jökulhlaup) mechanism for debris flow generation at the Spiral Tunnels, Kicking Horse River basin, British Columbia. L.E. Jackson, Jr., 806.
05. *Permafrost and Frozen Ground*
- Creep of model piles in frozen soil. V.R. Parameswaran, 69.
- Some aspects of road and airstrip pad design in permafrost areas. J.F. Nixon, 222.
- The undrained strength of some thawed permafrost soils. J.F. Nixon and A.J. Hanna, 420.
- Rupture of an ice mound near Cape Dorset, N.W.T.. R.M.W. Frederking, 604.
- Uplift of objects by an unfreezing ice surface. J.R. Mackay and C. Burrows, 609.
- Stabilization of planar landslides in permafrost. D.E. Pufahl and N.R. Morgenstern, 734.
- Icings and seepage in frozen glaciofluvial deposits, District of Keewatin, N.W.T.. J.J. Veillette and R.D. Thomas, 789.
- A model for coupled heat and moisture transfer during soil freezing: Discussion. J.T. Holden, 830.
06. *Submarine Geology*
- Geotechnical aspects of iceberg scours on ocean floors. T.R. Chari, 379.
10. *Mineralogy and Petrology*
- Mineralogical and engineering index properties of the basal McMurray Formation clay shales. M.B. Dusseault and D. Scafe, 285.
- Significance of amorphous material relative to sensitivity in some Champlain clays. R.N. Yong, A.J. Sethi, and P. LaRochelle, 511.

### C. Site Investigations

01. *Airphoto Surveys*
- Riverbank erosion and recession in the Ottawa area. D.R. Williams, P.M. Romeril, and R.J. Mitchell, 641.
02. *Geophysical Surveys*
- Comparison of down-hole and laboratory shear wave velocities. T.J. Larkin and P.W. Taylor, 152.
03. *Probing (Soundings)*
- Utilisation du pénétromètre statique dans les Basses Terres du Saint-Laurent. R. Maranda et D.-J. Dion, 591.
- Surpressions interstitielles développées par le fonçage dans les sols cohérents. M. Peignaud, 814.
06. *Sampling, Handling of Samples*
- A new method of sampling in sensitive clay. G. Lefebvre and C. Poulin, 226.

07. *Measurements of Field Conditions (incl. groundwater, in situ stress)*  
Groundwater control to the rescue: two case histories. J.L. Seychuk and L.R. Lahti, 716.
08. *Field Testing (excl. tests for engineering properties)*  
The bellow-hose settlement gauge. M. Bozozuk and B.H. Fellenius, 233.
09. *Reports on Site Investigations*  
Strength of tree roots and landslides on Prince of Wales Island, Alaska. T.H. Wu, W.P. McKinnell, III and D.N. Swanston, 19.  
Construction of Saline Creek Tunnel in Athabasca Oil Sand. P.K. Chatterji, L.B. Smith, A.E. Insley, and L. Sharma, 90.  
A slope failure in till at Lebret, Saskatchewan, Canada. E.K. Sauer, 242.  
Traitement de la fondation de moraine du barrage LG-3. J.J. Paré, R. Arès et A.M. Ghzala, 272.

#### D. Soil Properties: Laboratory and Field Determinations

00. *General (incl. laboratory supplies)*  
Second Canadian Geotechnical Colloquium: appropriate concepts and technology for unsaturated soil. D.G. Fredlund, 121.  
Stability of swelling clay embankments. R.A. Widger and D.G. Fredlund, 140.  
Normal and shear stress measurements on a strip footing. G.E. Bauer, D.H. Shields, J.D. Scott, and S.O. Nwabuokei, 177.  
Fluid settlement profiler: error analysis for installation at Blackstrap, Saskatchewan. S.S. Tao, 401.  
A noncontacting transducer for measurement of lateral strains. M.H. Kahn and D.L. Hoag, 409.  
Soil disturbance from pile driving in sensitive clay: Discussion. M. Roy, 444.  
Experimental study of punching coefficients and shape factor for two-layered soils. A.J. Valsangkar and G.G. Meyerhof, 802.
01. *Classification and Identification*  
Mineralogical and engineering index properties of the basal McMurray Formation clay shales. M.B. Dusseault and D. Scafe, 285.
02. *Physico-chemical Properties (incl. corrosion and thixotropy)*  
Viscometric assessment of remoulded sensitive clays. S.P. Bentley, 414.  
Significance of amorphous material relative to sensitivity in some Champlain clays. R.N. Yong, A.J. Sethi, and P. LaRochelle, 511.
03. *Composition, Structure, and Density (including porosity)*  
Utilisation du pénétromètre statique dans les Basses Terres du Saint-Laurent. R. Maranda et D.-J. Dion, 591.
04. *Permeability and Capillarity*  
Hydroturf. R. Mitchell and F. El Komoš, 236.
05. *Compressibility (incl. consolidation and swelling)*  
Strain rate behaviour of Saint-Jean-Vianney clay. Y.P. Vaid, P.K. Robertson, and R.G. Campanella, 34.  
Stability of swelling clay embankments. R.A. Widger and D.G. Fredlund, 140.  
Fluid settlement profiler: error analysis for installation at Blackstrap, Saskatchewan. S.S. Tao, 401.  
Strain rate behaviour of Saint-Jean-Vianney clay: Discussion. S. Leroueil and F. Tavenas, 616.  
Strain rate behaviour of Saint-Jean-Vianney clay: Discussion. G. Mesri and Y.K. Choi, 831.
06. *Shear-deformation and Strength Properties (incl. pore-water pressure)*  
Repeated compressive loading of Leda clay. G.P. Raymond, P.N. Gaskin, and F.Y. Addo-Abedi, 1.  
Triaxial-vane tests on a soft marine clay. K.T. Law, 11.  
Strength of tree roots and landslides on Prince of Wales Island, Alaska. T.H. Wu, W.P. McKinnell, III and D.N. Swanston, 19.  
Strain rate behaviour of Saint-Jean-Vianney clay. Y.P. Vaid, P.K. Robertson, and R.G. Campanella, 34.  
Normal and shear stress measurements on a strip footing. G.E. Bauer, D.H. Shields, J.D. Scott, and S.O. Nwabuokei, 177.  
Anisotropic behaviour of a sensitive clay. R.N. Yong and V. Silvestri, 335.  
The influence of aging on the shear strength behaviour of two fine-grained soils. M.M. Allam and A. Sridharan, 391.  
A noncontacting transducer for measurement of lateral strains. M.H. Kahn and D.L. Hoag, 409.  
The undrained strength of some thawed permafrost soils. J.F. Nixon and A.J. Hanna, 420.  
The stability of stage-constructed embankments on soft clays: Discussion. B. Trak, 428.  
The stability of stage-constructed embankments on soft clays: Reply. F. Tavenas, R. Blanchet, R. Garneau, and S. Leroueil, 430.  
Emploi d'une méthode psychrométrique dans des essais triaxiaux sur un limon remanié non saturé: Discussion. J. Morrison and D.G. Fredlund, 614.  
Emploi d'une méthode psychrométrique dans des essais triaxiaux sur un limon non saturé: Réponse. J.C. Verbrugge, 615.

- Strain rate behaviour of Saint-Jean-Vianney clay: Discussion. S. Leroueil and F. Tavenas, 616.  
 Undrained volume and stress change behavior of unsaturated very dense sands. M.B. Dusseault, 627.  
 A method of estimating excess pore pressures beneath embankments on sensitive clays. K.T. Law and M. Bozozuk, 691.  
 Surpressions interstitielles développées par le fonçage dans les sols cohérents. M. Peignaud, 814.  
 Triaxial-vane tests on a soft marine clay: Discussion. V. Silvestri, 828.  
 Triaxial-vane tests on a soft marine clay: Reply. K.T. Law, 829.  
 Strain rate behaviour of Saint-Jean-Vianney clay: Discussion. G. Mesri and Y.K. Choi, 831.  
 The influence of aging on the shear strength behaviour of two fine-grained soils: Discussion. J.H. Schmertmann, 835.
07. *Dynamic Properties*  
 Repeated compressive loading of Leda clay. G.P. Raymond, P.N. Gaskin, and F.Y. Addo-Abedi, 1.  
 Comparison of down-hole and laboratory shear wave velocities. T.J. Larkin and P.W. Taylor, 152.  
 Cyclic strength of a sensitive clay of eastern Canada. K.L. Lee, 163.  
 A unified approach to densification and liquefaction of cohesionless sand in cyclic shearing. S. Nemat-Nasser and A. Shokoh, 659.  
 Repeated compressive loading of a sand. P.N. Gaskin, G.P. Raymond, F.Y. Addo-Abedi, and J.S. Lau, 798.
08. *Thermal Properties (incl. freezing)*  
 The use of sulphur in roadway frost applications. P.M. Gifford and J.E. Gillott, 78.  
 Frost-heaving rate predicted from pore-size distribution. M.A. Reed, C.W. Lovell, A.G. Altschaeffl, and L.E. Wood, 463.  
 Uplift of objects by an unfreezing ice surface. J.R. Mackay and C. Burrous, 609.  
 Stabilization of planar landslides in permafrost. D.E. Pufahl and N.R. Morgenstern, 734.
10. *Properties of Soil-Additive Mixtures*  
 The use of sulphur in roadway frost applications. P.M. Gifford and J.E. Gillott, 78.  
 Hydroturf. R. Mitchell and F. El Komos, 236.
- E. Analysis of Soil-engineering Problems
00. *General*  
 Undrained volume and stress change behavior of unsaturated very dense sands. M.B. Dusseault, 627.
01. *In Situ Stresses caused by Gravity and Applied Loads and Excavations*  
 Normal and shear stress measurements on a strip footing. G.E. Bauer, D.H. Shields, J.D. Scott, and S.O. Nwabuokei, 177.
02. *Deformation and Settlement Problems*  
 One-dimensional consolidation theory: unsaturated soils. D.G. Fredlund and J.U. Hasan, 521.  
 Lateral displacements in clay foundations under embankments. F. Tavenas, C. Mieußens, and F. Bourges, 532.  
 A method of estimating excess pore pressures beneath embankments on sensitive clays. K.T. Law and M. Bozozuk, 691.
03. *Bearing Capacity of Soils*  
 Ultimate bearing capacity of foundations on a three-layer soil, with special reference to layered sand. A.M. Hanna and G.G. Meyerhof, 412.  
 Pore-pressure response beneath a ring foundation on clay. K.Y. Lo and D.E. Becker, 551.  
 Experimental study of punching coefficients and shape factor for two-layered soils. A.J. Valsangkar and G.G. Meyerhof, 802.
04. *Bearing Capacity of Piles*  
 The loading behaviour of initially bent large scale laboratory piles in sand. S.F. Chan and T.H. Hanna, 43.  
 Creep of model piles in frozen soil. V.R. Parameswaran, 69.  
 Some aspects of road and airstrip pad design in permafrost areas. J.F. Nixon, 222.  
 Soil disturbance from pile driving in sensitive clay: Discussion. M. Roy, 444.  
 Elastic solutions for the design and analysis of rock-socketed piles. P.J.N. Pells and R.M. Turner, 481.
05. *Earth Pressure Problems (incl. silos)*  
 Measurements on a tunnel lining in very dense till. F.A. DeLory, A.M. Crawford, and M.E.M. Gibson, 190.  
 Geotechnical aspects of iceberg scours on ocean floors. T.R. Chari, 379.
06. *Stability of Slopes, Cuts, and Excavations*  
 Strength of tree roots and landslides on Prince of Wales Island, Alaska. T.H. Wu, W.P. McKinnell, III and D.N. Swanston, 19.  
 Stability of swelling clay embankments. R.A. Widger and D.G. Fredlund, 140.  
 Embankment stability on anisotropic soft clays. J. Graham, 295.  
 The stability of stage-constructed embankments on soft clays: Discussion. B. Trak, 428.  
 The stability of stage-constructed embankments on soft clays: Reply. F. Tavenas, R. Blanchet, R. Garneau, and S. Leroueil, 430.  
 On the retrogression of landslides in sensitive muddy sediments: Reply. M.A. Carson, 431.  
 Riverbank erosion and recession in the Ottawa area. D.R. Williams, P.M. Romeril, and R.J. Mitchell, 641.

A method of estimating excess pore pressures beneath embankments on sensitive clays. K.T. Law and M. Bozozuk, 691.

A highway cut failure in Cretaceous sediments at Maymont, Saskatchewan. J. Krahn, R.F. Johnson, D.G. Fredlund, and A.W. Clifton, 703.

Stabilization of planar landslides in permafrost. D.E. Pufahl and N.R. Morgenstern, 734.

Design of dykes to protect against debris flows at Port Alice, British Columbia. H.W. Nasmith and A.G. Mercer, 748.

**07. Seepage and Other Hydraulic Problems (incl. erosion)**

Structural behaviour of Manicouagan 3 cutoff. O. Dascal, 200.

Hydraulic efficiency of the Manicouagan-3 cutoff. O. Dascal, 351.

**08. Dynamic Problems**

A unified approach to densification and liquefaction of cohesionless sand in cyclic shearing. S. Nemat-Nasser and A. Shokooh, 659.

**09. Frost Action and Heat-transfer Problems**

Some aspects of road and airstrip pad design in permafrost areas. J.F. Nixon, 222.

Stabilization of planar landslides in permafrost. D.E. Pufahl and N.R. Morgenstern, 734.

A model for coupled heat and moisture transfer during soil freezing: Discussion. J.T. Holden, 830.

## F. Rock Properties: Laboratory and Field Determinations

**04. Permeability and Capillarity**

Hydrogeological testing associated with underground coal gasification. R.I.J. Vogwill, 59.

**05. Compressibility and Swelling**

Laboratory simulation of shale expansion by induced gypsum growth. A.J. Luteneegger, N.C. Wollenhaupt, and R.L. Handy, 405.

**06. Shear-deformation and Strength Properties**

Deformation and strength properties of some rocks in southern Ontario. K.Y. Lo and M. Hori, 108.

Erratum: Time-dependent deformation of shaly rocks in southern Ontario. K.Y. Lo, R.S.C. Wai, J.H.L. Palmer, and R.M. Quigley, 449.

Rock movements induced by the construction of the Hamilton Mountain trunk sewer (stage 4). J.-C. Roegiers, J.C. Thompson, and J.D. McLennan, 651.

## G. Analysis of Rock-engineering Problems

**02. Deformation Problems**

Erratum: Time-dependent deformation of shaly rocks in southern Ontario. K.Y. Lo, R.S.C. Wai, J.H.L. Palmer, and R.M. Quigley, 449.

Rock movements induced by the construction of the Hamilton Mountain trunk sewer (stage 4). J.-C. Roegiers, J.C. Thompson, and J.D. McLennan, 651.

**03. Bearing Capacity of Rocks**

Elastic solutions for the design and analysis of rock-socketed piles. P.J.N. Pells and R.M. Turner, 481.

**04. Stability of Slopes, Excavations, and Openings**

Cliff collapse and rock avalanches (sturzstroms) in the Mackenzie Mountains, northwestern Canada. G.H. Eisbacher, 309.

Geotechnical study of an abandoned limestone mine for crude oil storage. W.F. Bawden and D.R. McCreath, 577.

**05. Seepage Problems (incl. drainage)**

Geotechnical study of an abandoned limestone mine for crude oil storage. W.F. Bawden and D.R. McCreath, 577.

## H. Design, Construction, and Behavior of Engineering Works

**01. Foundations of Structures**

Soil disturbance from pile driving in sensitive clay: Discussion. M. Roy, 444.

Geotechnical problems encountered in moving the church at Most. J. Skopek, 473.

Pore-pressure response beneath a ring foundation on clay. K.Y. Lo and D.E. Becker, 551.

**03. Unsupported Excavations**

Rock movements induced by the construction of the Hamilton Mountain trunk sewer (stage 4). J.-C. Roegiers, J.C. Thompson, and J.D. McLennan, 651.

**04. Earthworks, Embankments, Fills, and Dams**

Stability of swelling clay embankments. R.A. Widger and D.G. Fredlund, 140.

Experiences with alluvial foundations for earth dams in the Prairie provinces. N. Peters and K.N. Lamb, 255.



- Traitement de la fondation de moraine du barrage LG-3. J.J. Paré, R. Arès et A.M. Ghzala, 272.  
 Hydraulic efficiency of the Manicouagan-3 cutoff. O. Dascal, 351.  
 Use of glacial till and outwash silty sand as construction material for dam cores at Long Spruce Generating Station. J.D. McKeown and D.S. Matheson, 363.  
 The stability of stage-constructed embankments on soft clays: Discussion. B. Trak, 428.  
 The stability of stage-constructed embankments on soft clays: Reply. F. Tavenas, R. Blanchet, R. Garneau, and S. Leroueil, 430.  
 Control of artesian pressure by bleeder wells. N.H. Wade and H. Taylor, 488.  
 Manasan Falls control structure design and construction aspects. P. Janzen and A.G. Kuluk, 497.  
 Lateral displacements in clay foundations under embankments. F. Tavenas, C. Micussens, and F. Bourges, 532.  
 A highway cut failure in Cretaceous sediments at Maymont, Saskatchewan. J. Krahn, R.F. Johnson, D.G. Fredlund, and A.W. Clifton, 703.  
 Design of dykes to protect against debris flows at Port Alice, British Columbia. H.W. Nasmith and A.G. Mercer, 748.  
 Foundation performance of Gardiner Dam. J.L. Jaspar and N. Peters, 758.

#### 05. *Underground Structures (incl. tunnels, conduits, and dams)*

- Construction of Saline Creek Tunnel in Athabasca Oil Sand. P.K. Chatterji, L.B. Smith, A.E. Insley, and L. Sharma, 90.  
 Measurements on a tunnel lining in very dense till. F.A. DeLory, A.M. Crawford, and M.E.M. Gibson, 190.  
 Structural behaviour of Manicouagan 3 cutoff. O. Dascal, 200.  
 Groundwater control to the rescue: two case histories. J.L. Seychuk and L.R. Lahti, 716.

#### 06. *Base Courses and Pavements of Roads, Railroads, and Airfields*

- The use of sulphur in roadway frost applications. P.M. Gifford and J.E. Gillott, 78.  
 Structural behaviour of Manicouagan 3 cutoff. O. Dascal, 200.

#### 07. *Harbours, Canals, and Coastal Protective Works*

- River erosion and bank stabilization—North Saskatchewan River, Edmonton, Alberta. S. Thomson and D.L. Townsend, 567.  
 Upstream slope protection for earth dams in the Prairie Provinces. N. Peters and J.E. Towle, 679.

### K. Construction Methods and Equipment

#### 01. *Dewatering and Drainage*

- Control of artesian pressure by bleeder wells. N.H. Wade and H. Taylor, 488.  
 Groundwater control to the rescue: two case histories. J.L. Seychuk and L.R. Lahti, 716.

#### 05. *Compaction*

- Use of glacial till and outwash silty sand as construction material for dam cores at Long Spruce Generating Station. J.D. McKeown and D.S. Matheson, 363.

#### 09. *Underpinning*

- Geotechnical problems encountered in moving the church at Most. J. Skopek, 473.

#### 10. *Slurry-assisted Construction of Foundation and Cut-off Walls*

- Structural behaviour of Manicouagan 3 cutoff. O. Dascal, 200.  
 Hydraulic efficiency of the Manicouagan-3 cutoff. O. Dascal, 351.

### S. Snow and Ice Mechanics and Engineering

#### 01. *Snow and Ice Cover*

- Rupture of an ice mound near Cape Dorset, N.W.T.. R.M.W. Frederking, 604.  
 Icings and seepage in frozen glaciofluvial deposits, District of Keewatin, N.W.T.. J.J. Veillette and R.D. Thomas, 789.

# Canadian Geotechnical Journal

# Revue canadienne de géotechnique

Volume 16 • 1979

**Editor** D. J. BAZETT **Directeur scientifique**

**Associate Editors/ Directeurs scientifiques associés**

A. L. BURWASH  
J.-Y. CHAGNON  
J. I. CLARK

L. W. GOLD  
J. J. HAMILTON  
N. R. McCAMMON  
R. M. QUIGLEY

L. SAMSON  
J. L. SEYCHUK  
F. TAVENAS

**PUBLISHING DEPARTMENT**    **SERVICE DE PUBLICATION**  
at the National Research Council of Canada    du Conseil national de recherches du Canada

**Editor-in-chief** C. T. BISHOP **Directeur général**

**Assistant Editor-in-chief** P. A. REDHEAD **Directeur général adjoint**

**Manager** H. WILLIAMSON **Directeur administratif**

**Publishing Supervisor** S. E. JENNESS **Préposé de la publication**

**Senior Publication Officer** F. M. KAVCIC **Agent supérieur à la publication**

**Publication Officer** S. A. DiLABIO **Agent à la publication**

Published by the  
National Research Council  
of Canada

Publiée par le  
Conseil national de recherches  
du Canada





## CONTENTS/SOMMAIRE

FEBRUARY/FEVRIER

### ARTICLES:

<b>G. P. Raymond, P. N. Gaskin, and F. Y. Addo-Abedi</b> Repeated compressive loading of Leda clay	1
<b>K. Tim Law</b> Triaxial-vane tests on a soft marine clay	11
<b>Tien H. Wu, William P. McKinnell III, and Douglas N. Swanston</b> Strength of tree roots and landslides on Prince of Wales Island, Alaska	19
<b>Y. P. Vaid, P. K. Robertson, and R. G. Campanella</b> Strain rate behaviour of Saint-Jean-Vianney clay	34
<b>S. F. Chan and T. H. Hanna</b> The loading behaviour of initially bent large scale laboratory piles in sand	43
<b>R. I. J. Vogwill</b> Hydrogeological testing associated with underground coal gasification	59
<b>V. R. Parameswaran</b> Creep of model piles in frozen soil	69
<b>P. M. Gifford and J. E. Gillott</b> The use of sulphur in roadway frost applications	78
<b>P. K. Chatterji, L. B. Smith, A. E. Insley, and L. Sharma</b> Construction of Saline Creek Tunnel in Athabasca Oil Sand	90
<b>K. Y. Lo and M. Hori</b> Deformation and strength properties of some rocks in southern Ontario	108
<b>D. G. Fredlund</b> Second Canadian Geotechnical Colloquium: Appropriate concepts and technology for unsaturated soil	121
<b>R. A. Widger and D. G. Fredlund</b> Stability of swelling clay embankments	140
<b>T. J. Larkin and P. W. Taylor</b> Comparison of down-hole and laboratory shear wave velocities	152
<b>Kenneth L. Lee</b> Cyclic strength of a sensitive clay of eastern Canada	163
<b>G. E. Bauer, D. H. Shields, J. D. Scott, and S. O. Nwabuokei</b> Normal and shear stress measurements on a strip footing	177
<b>F. A. DeLory, A. M. Crawford, and M. E. M. Gibson</b> Measurements on a tunnel lining in very dense till	190
<b>Oscar Dascal</b> Structural behaviour of Manicouagan 3 cutoff	200

### TECHNICAL NOTES/NOTES TECHNIQUES:

<b>John F. Nixon</b> Some aspects of road and airstrip pad design in permafrost areas	222
<b>Guy Lefebvre and Claude Poulin</b> A new method of sampling in sensitive clay	226
<b>M. Bozozuk and B. H. Fellenius</b> The bellow-hose settlement gauge	233
<b>Robert Mitchell and Fadel El Komos</b> Hydroturf	236
<b>E. Karl Sauer</b> A slope failure in till at Lebreton, Saskatchewan, Canada	242

### BOOK REVIEWS/CRITIQUES DE LIVRES:

<b>Laval Samson</b> Terrassement dans les terrains aquifères	251
<b>P. Fritz</b> Principles of isotope geology	252
<b>M. Novak</b> Structural and geotechnical mechanics	253
<b>Robert M. Quigley</b> Geothermal energy utilization	254
<b>UNESCO</b> Addendum: Engineering geological maps: a guide to their preparation	254

MAY/MAI

### ARTICLES:

<b>N. Peters and K. N. Lamb</b> Experiences with alluvial foundations for earth dams in the Prairie provinces	255
<b>J. J. Paré, R. Arès et A. M. Ghzala</b> Traitement de la fondation de moraine du barrage LG-3	272
<b>Maurice B. Dusseault and Don Scafe</b> Mineralogical and engineering index properties of the basal McMurray Formation clay shales	285
<b>J. Graham</b> Embankment stability on anisotropic soft clays	295
<b>G. H. Eisebacher</b> Cliff collapse and rock avalanches (sturzstroms) in the Mackenzie Mountains, northwestern Canada	309
<b>R. N. Yong and V. Silvestri</b> Anisotropic behaviour of a sensitive clay	335
<b>O. Dascal</b> Hydraulic efficiency of the Manicouagan-3 cutoff	351
<b>J. D. McKeown and D. S. Matheson</b> Use of glacial till and outwash silty sand as construction material for dam cores at Long Spruce Generating Station	363
<b>T. Ramanuja Chari</b> Geotechnical aspects of iceberg scours on ocean floors	379

# **TECHNICAL NOTES/NOTES TECHNIQUES:**

<b>Mehter Mohamed Allam and A. Sridharan</b> The influence of aging on the shear strength behaviour of two fine-grained soils	391
<b>Robert F. Legget</b> Logan and landslides: 1842	397
<b>S. S. Tao</b> Fluid settlement profiler: error analysis for installation at Blackstrap, Saskatchewan	401
<b>A. J. Lutenecker, N. C. Wollenhaupt, and R. L. Handy</b> Laboratory simulation of shale expansion by induced gypsum growth	405
<b>Mozammel H. Kahn and Dean L. Hoag</b> A noncontacting transducer for measurement of lateral strains	409
<b>A. M. Hanna and G. G. Meyerhof</b> Ultimate bearing capacity of foundations on a three-layer soil, with special reference to layered sand	412
<b>S. P. Bentley</b> Viscometric assessment of remoulded sensitive clays	414
<b>John F. Nixon and Alan J. Hanna</b> The undrained strength of some thawed permafrost soils	420

## **DISCUSSIONS:**

<b>B. Trak</b> The stability of stage-constructed embankments on soft clays: Discussion	428
<b>F. Tavenas, R. Blanchet, R. Garneau, and S. Leroueil</b> The stability of stage-constructed embankments on soft clays: Reply	430
<b>M. A. Carson</b> On the retrogression of landslides in sensitive muddy sediments: Reply	431
<b>Marius Roy</b> Soil disturbance from pile driving in sensitive clays: Discussion	444

## **BOOK REVIEW/CRITIQUE DE LIVRE:**

<b>L. E. Goodrich</b> Thermal geotechnics	447
---	-----

## **ERRATUM:**

<b>K. Y. Lo, R. S. C. Wai, J. H. L. Palmer, and R. M. Quigley</b> Erratum: Time-dependent deformation of shaly rocks in southern Ontario	449
--	-----

## **AUGUST/AOUT**

<b>N. T. Gridgeman</b> Un cinquantenaire: Les journaux de la recherche du CNRC 1929-1979	iv
<b>N. T. Gridgeman</b> A Semicentennial: The NRCC Research Journals 1929-1979	v

## **ARTICLES:**

<b>M. K��lin</b> Symbols in geotechnology — on the purpose of scientific notation	451
<b>M. A. Reed, C. W. Lovell, A. G. Altschaeffl, and L. E. Wood</b> Frost-heaving rate predicted from pore-size distribution	463
<b>J. Skopek</b> Geotechnical problems encountered in moving the church at Most	473
<b>P. J. N. Pells and R. M. Turner</b> Elastic solutions for the design and analysis of rock-socketed piles	481
<b>N. H. Wade and H. Taylor</b> Control of artesian pressure by bleeder wells	488
<b>P. Janzen and A. G. Kuluk</b> Manasan Falls control structure design and construction aspects	497
<b>R. N. Yong, A. J. Sethi, and P. LaRochelle</b> Significance of amorphous material relative to sensitivity in some Champlain clays	511
<b>Delwyn G. Fredlund and Jamshed U. Hasan</b> One-dimensional consolidation theory: unsaturated soils	521
<b>F. Tavenas, C. MiesSENS, and F. Bourges</b> Lateral displacements in clay foundations under embankments	532
<b>K. Y. Lo and D. E. Becker</b> Pore-pressure response beneath a ring foundation on clay	551
<b>S. Thomson and D. L. Townsend</b> River erosion and bank stabilization — North Saskatchewan River, Edmonton, Alberta	567
<b>W. F. Bawden and D. R. McCreath</b> Geotechnical study of an abandoned limestone mine for crude oil storage	577

## **TECHNICAL NOTES/NOTES TECHNIQUES:**

<b>R��my Maranda et Denis-Jacques Dion</b> Utilisation du p��n��trom��tre statique dans les Basses Terres du Saint-Laurent	591
<b>R. M. W. Frederking</b> Rupture of an ice mound near Cape Dorset, N.W.T.	604
<b>J. Ross Mackay and C. Burrous</b> Uplift of objects by an upfreezing ice surface	609

# DISCUSSIONS:

- John Morrison and Delwyn G. Fredlund** Emploi d'une méthode psychrométrique dans des essais triaxiaux sur un limon remanié non saturé: Discussion 614
- J. C. Verbrugge** Emploi d'une méthode psychrométrique dans des essais triaxiaux sur un limon remanié non saturé: Réponse 615
- S. Leroueil and F. Tavenas** Strain rate behaviour of Saint-Jean-Vianney clay: Discussion 616

# BOOK REVIEWS/CRITIQUES DE LIVRES:

- J. F. Capelle** The pressuremeter and foundation engineering 621
- P. M. Byrne** Developments in soil mechanics — 1 622
- R. D. Hammett** Handbook on mechanical properties of rocks — Volume II 623
- Jo Yung Wong** Soil mechanics for off-road vehicle engineering 624

## NOVEMBER/NOVEMBRE

# ARTICLES:

- Maurice B. Dusseault** Undrained volume and stress change behavior of unsaturated very dense sands 627
- D. R. Williams, P. M. Romeril, and R. J. Mitchell** Riverbank erosion and recession in the Ottawa area 641
- J.-C. Roegiers, J. C. Thompson, and J. D. McLennan** Rock movements induced by the construction of the Hamilton Mountain trunk sewer (stage 4) 651
- S. Nemat-Nasser and A. Shokoh** A unified approach to densification and liquefaction of cohesionless sand in cyclic shearing 659
- N. Peters and J. E. Towle** Upstream slope protection for earth dams in the Prairie Provinces 679
- K. T. Law and M. Bozozuk** A method of estimating excess pore pressures beneath embankments on sensitive clays 691
- J. Krahn, R. F. Johnson, D. G. Fredlund, and A. W. Clifton** A highway cut failure in Cretaceous sediments at Maymont, Saskatchewan 703
- J. L. Seychuk and L. R. Lahti** Groundwater control to the rescue: two case histories 716
- D. E. Pufahl and N. R. Morgenstern** Stabilization of planar landslides in permafrost 734
- H. W. Nasmith and A. G. Mercer** Design of dykes to protect against debris flows at Port Alice, British Columbia 748
- J. L. Jaspard and N. Peters** Foundation performance of Gardiner Dam 758

# TECHNICAL NOTES/NOTES TECHNIQUES:

- J. J. Veillette and R. D. Thomas** Icings and seepage in frozen glaciofluvial deposits, District of Keewatin, N.W.T. 789
- P. N. Gaskin, G. P. Raymond, F. Y. Addo-Abedi, and J. S. Lau** Repeated compressive loading of a sand 798
- A. J. Valsangkar and G. G. Meyerhof** Experimental study of punching coefficients and shape factor for two-layered soils 802
- Lionel E. Jackson, Jr.** A catastrophic glacial outburst flood (jökulhlaup) mechanism for debris flow generation at the Spiral Tunnels, Kicking Horse River basin, British Columbia 806
- M. Peignaud** Surpressions interstitielles développées par le fôçage dans les sols cohérents 814

# DISCUSSIONS:

- V. Silvestri** Triaxial-vane tests on a soft marine clay: Discussion 828
- K. T. Law** Triaxial-vane tests on a soft marine clay: Reply 829
- John T. Holden** A model for coupled heat and moisture transfer during soil freezing: Discussion 830
- G. Mesri and Y. K. Choi** Strain rate behaviour of Saint-Jean-Vianney clay: Discussion 831
- John H. Schmertmann** The influence of aging on the shear strength behaviour of two fine-grained soils: Discussion 835

# BOOK REVIEW/CRITIQUE DE LIVRE:

- T. Cameron Kenney** The mechanics of soils: an introduction to critical state soil mechanics 836

Author Index/Index des auteurs	AI-1
Subject Index/Index des matières	SI-1
Contents/Sommaire	v